





# CHIRAL MICROSCOPY

LABORATORY :	Institut Lumière Matière
IN COOPERATION WITH :	iLM
LEVEL :	M1 / M2 / L3
TEAM(S) :	MNP
CONTACT(S) :	BAGUENARD Bruno BENSALAH-LEDOUX Amina GUY Stephan
CONTACT(S) DETAILS:	bruno.baguenard[at]univ-lyon1.fr / Tel. 0472431453 amina.bensalah-ledoux[at]univ-lyon1.fr / Tel. 0472431120 stephan.guy[at]univ-lyon1.fr / Tel. 0472448330

KEYWORD(S):

# **SCIENTIFIC CONTEXT :**

Chiroptical spectroscopies are widely used to probe molecular chirality. As chirality is a key to life (https://www.youtube.com/watch?v=71GjsRnsoL8,

http://remotecat.blogspot.fr/2014/11/chiral-molecules-in-everyday-life-from.html), its control is crucial in different areas including the pharmaceutical industry, the food industry, the environment...

Circular dicroism (CD) and optical rotation dispersion (ORD) are spectroscopic tools commonly used in many chemical and biological laboratories. They are based on the circular anisotropy of a chiral material, having different response for the interaction with left and right circularly polarized light. Chirality can also be observed in the emission of chiral emitters which produce more left or right circularly polarized light. This phenomenon is called CPL for Circularly Polarized Luminescence and allows to characterize these emitters.

### MISSIONS :

We have developed in the team our own CPL spectrometers dedicated to the study of molecules in solution. We want to increase the capabilities of our installation in order to be able to perform chiral imaging of molecules coated on a substrate. The final objective will be to image in vivo chiral probes attached to targeted cells with specific chiral stuctures". The advantage of chiral probes is that they preferentially bind to the living chiral center. In addition, circular polarization allows ballistic photons to be distinguished from diffuse photons and thus can potentially increase the imaging capability through natural diffuse arrays.

The objective of the internship will be to developp a CPL chiral microscope. Highly luminescence samples, of densely packed molecular grids thin films will be used as resolution targets.

The student will have (i) to design the microscope (optical set-up and CPL detection), (ii) mount the new setup and (iii) test it on the resolution targets.

# OUTLOOKS :

PhD possible. Fund: Ecole doctorale

### BIBLIOGRAPHY :

Luminescence, chiroptical, magnetic and ab initio crystal-field characterizations of an enantiopure helicoidal Yb(iii) complex Inorg. Chem. Front., The Royal Society of Chemistry, 2021, 8, 914-926

Solid-State Near-Infrared Circularly Polarized Luminescence from Chiral YbIII-Single-Molecule Magnet Chemistry - A European Journal, 2021, 27, 1